EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8708	702/51.ccls. or 73/40,40.5r,46,49.1.ccls. or 137/312,313,314,458,557,480,486,460,456,488.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:32
L2	95	(702/51.ccls. or 73/40,40.5r,46,49.1.ccls. or 137/312,313,314,458,557,480,486,460,456,488.ccls.) and control$4 with leak$3 with system$1	US-PGPUB	OR	ON	2007/05/03 17:32
L3	4	(702/51.ccls. or 73/40,40.5r,46,49.1.ccls. or 137/312,313,314,458,557,480,486,460,456,488.ccls.) and control$4 with leak$3 with system$1 with (processor$1 or microprocessor$1 or CPU)	US-PGPUB	OR	ON	2007/05/03 17:33
L4	7	(702/51.ccls. or 73/40,40.5r,46,49.1.ccls. or 137/312,313,314,458,557,480,486,460,456,488.ccls.) and control$4 with leak$3 with system$1 same (processor$1 or microprocessor$1 or CPU)	US-PGPUB	OR	ON	2007/05/03 17:33
L5	19	(702/51.ccls. or 73/40,40.5r,46,49.1.ccls. or 137/312,313,314,458,557,480,486,460,456,488.ccls.) and control$4 with leak$3 with system$1 and (processor$1 or microprocessor$1 or CPU) with (code or coding or program$5 or software)	US-PGPUB	OR	ON	2007/05/03 17:33
S2	4	(("4883087") or ("4043355") or ("4825198") or ("6134949")).PN.	USPAT	OR	OFF	2007/01/23 15:12
S3	8	(("4883087") or ("4043355") or ("4825198") or ("6134949")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 15:31
S4	9250	control$4 with leak$3 with system$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:37
S5	26	control$4 with leak$3 with system$1 with (processor$1 or microprocessor$1 or CPU) with (code or coding or program$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:38

S6	0	control$4 with leak$3 with system$1 with (flowmeter$1 or (flow$3 with meter$1)) with (processor$1 or microprocessor$1 or CPU) with (code or coding or program$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:38
S7	0	control$4 with leak$3 with system$1 with (flowmeter$1 or (flow$3 with meter$1)) with stop$4 with valve$1 same (processor$1 or microprocessor$1 or CPU) with (code or coding or program$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:39
S8	0	control$4 with leak$3 with system$1 with (flowmeter$1 or (flow$3 with meter$1)) with stop$4 with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with (code or coding or program$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:50
S9	0	leak$3 with system$1 with (flowmeter$1 or (flow$3 with meter$1)) with stop$4 with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with (code or coding or program$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:39
S10	0	control$4 with leak$3 with (flowmeter$1 or (flow$3 with meter$1)) with stop$4 with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with (code or coding or program$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:39
S11	13	control$4 with leak$3 with (flowmeter$1 or (flow$3 with meter$1)) and stop$4 with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with (code or coding or program$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 09:18
S12	2	control$4 with leak$3 with (flowmeter$1 or (flow$3 with meter$1)) and stop$4 with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with (code or coding or program$5 or software) and pipe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:36

EAST Search History

S13	8	control$4 with leak$3 with (flowmeter$1 or (flow$3 with meter$1)) and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with (code or coding or program$5 or software) and pipe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:16
S14	3	control$4 with leak$3 with (flowmeter$1 or (flow$3 with meter$1)) and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with (code or coding or program$5 or software or logic$4) with (condition$1 or status or state$1) and pipe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:40
S15	2	control$4 with leak$3 with (flowmeter$1 or (flow$3 with meter$1)) and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with (condition$1 or status or state$1) with pipe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:44
S16	2	control$4 with leak$3 with (flowmeter$1 or (flow$3 with meter$1)) and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with control$4 with (condition$1 or status or state$1) with pipe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:44
S17	2	leak$3 with (flowmeter$1 or (flow$3 with meter$1)) and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with control$4 with (condition$1 or status or state$1) with pipe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:44
S18	4	control$4 with leak$3 with (flowmeter$1 or (flow$3 with meter$1)) and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1 or controller$1) with control$4 with (condition$1 or status or state$1) with pipe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:45

S19	33	control$4 with leak$3 with flow$3 and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1 or controller$1) with control$4 with (condition$1 or status or state$1) with pipe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:47
S20	5	control$4 with leak$3 with flow$3 and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1 or controller$1) with control$4 with (condition$1 or status or state$1) with pipe$1 and return$3 with pipe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:51
S21	2	"20060287837"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 15:49
S22	13	leak$3 with flow$3 and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1 or controller$1) with control$4 with (condition$1 or status or state$1) with pipe$1 and return$3 with pipe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:05
S23	0	leak$3 with flow$3 and (flowmeter$1 or flow$3 with meter$1) and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1 or controller$1) with control$4 with (condition$1 or status or state$1) with pipe$1 and return$3 with pipe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:06
S24	0	leak$3 with flow$3 and (flowmeter$1 or flow$3 with meter$1) and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1 or controller$1) with control$4 with (condition$1 or status or state$1) with pipe$1 and (feedback or return$3) with pipe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:07

EAST Search History

S25	8	leak$3 with flow$3 and (flowmeter$1 or flow$3 with meter$1) and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1 or controller$1) with control$4 with (condition$1 or status or state$1) with pipe$1 and (suppl$3 or source) with pipe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:07
S26	0	leak$3 with flow$3 and (flowmeter$1 or flow$3 with meter$1) and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1 or controller$1) with (condition$1 or status or state$1) with pipe$1 and (suppl$3 or source) with pipe$1 and (return$3 or feedback) with pipe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:08
S27	8	leak$3 with flow$3 and (flowmeter$1 or flow$3 with meter$1) and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1 or controller$1) with (condition$1 or status or state$1) with pipe$1 and (suppl$3 or source) with pipe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:12
S28	3	control$4 with (two-string$2 or two adj string$2) with pipe$1 with installation$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:14
S29	3	control$4 with (two-string$2 or two adj string$2) with pipe$1 with instal$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:10
S30	8	control$4 with (two-string$2 or two with string$2) with pipe$1 with instal$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:15
S32	43	"4883087" "4043355" "4825198" "6134949"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:27

S33	8	S32 and leak$3 with (flowmeter$1 or (flow$3 with meter$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:27
S34	1	control$4 with leak$3 with (flowmeter$1 or (flow$3 with meter$1)) and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with box$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:28
S35	212	702/51.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:42
S36	1946	73/40.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:44
S37	503	73/49.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:44
S38	1113	137/312.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:47
S39	49	137/313.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:48
S40	83	137/314.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:48
S41	277	137/458.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:48

EAST Search History

S42	1294	137/557.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 16:48
S43	5	control$4 with leak$3 with (flowmeter$1 or (flow$3 with meter$1)) and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with pipe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 09:01
S44	7	control$4 with leak$3 with (flowmeter$1 or (flow$3 with meter$1)) and monitor$3 with valve$1 with (status or state$1 or condition$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 09:19
S45	216	702/51.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:20
S46	1963	73/40.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:22
S47	1427	73/40.5r.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:22
S48	530	73/46.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:23
S49	507	73/49.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:59
S50	1122	137/312.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:23

S51	49	137/313.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:25
S52	83	137/314.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:35
S53	277	137/458.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:35
S54	1297	137/557.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:36
S55	239	137/480.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:36
S56	429	137/460.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:36
S57	198	137/456.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:36
S58	615	137/488.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:36
S59	9509	control$4 with leak$3 with system$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:37
S60	225	control$4 with leak$3 with system$1 with (processor$1 or microprocessor$1 or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:37

S61	27	control$4 with leak$3 with system$1 with (processor$1 or microprocessor$1 or CPU) with (code or coding or program$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:38
S62	0	control$4 with leak$3 with system$1 with (flowmeter$1 or (flow$3 with meter$1)) with (processor$1 or microprocessor$1 or CPU) with (code or coding or program$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:38
S63	21	control$4 with leak$3 with system$1 with (flowmeter$1 or (flow$3 with meter$1)) and (processor$1 or microprocessor$1 or CPU) with (code or coding or program$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:38
S64	0	control$4 with leak$3 with system$1 with (flowmeter$1 or (flow$3 with meter$1)) with stop$4 with valve$1 same (processor$1 or microprocessor$1 or CPU) with (code or coding or program$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:39
S65	0	control$4 with leak$3 with (flowmeter$1 or (flow$3 with meter$1)) with stop$4 with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with (code or coding or program$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:39
S66	0	leak$3 with system$1 with (flowmeter$1 or (flow$3 with meter$1)) with stop$4 with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with (code or coding or program$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:40
S67	21	leak$3 with system$1 with (flowmeter$1 or (flow$3 with meter$1)) and stop$4 with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with (code or coding or program$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:40

S68	3	control$4 with (flowmeter$1 or (flow$3 with meter$1)) and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with (code or coding or program$5 or software or logic$4) with (condition$1 or status or state$1) and pipe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:40
S69	51	leak$3 with (flowmeter$1 or (flow$3 with meter$1)) and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with (code or coding or program$5 or software or logic$4) with (condition$1 or status or state$1) and pipe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:40
S70	0	control$4 with leak$3 with system$1 with (flowmeter$1 or (flow$3 with meter$1)) with stop$4 with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with (code or coding or program$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:41
S71	0	leak$3 with system$1 with (flowmeter$1 or (flow$3 with meter$1)) with stop$4 with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with (code or coding or program$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:41
S72	3	control$4 with (two-string$2 or two adj string$2) with pipe$1 with instal$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:41
S73	0	control$4 with leak$3 with system$1 with (flowmeter$1 or (flow$3 with meter$1)) with stop$4 with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with (code or coding or program$5 or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:50
S74	548	73/198.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:59

EAST Search History

S75	182	73/861.03.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 14:00
S76	3	control$4 with (two-string$2 or two adj string$2) with pipe$1 with instal$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:10
S77	1	control$4 with leak$3 with (flowmeter$1 or (flow$3 with meter$1)) and (clos$3 or open$4 or stop$4) with valve$1 and (processor$1 or microprocessor$1 or CPU or computer$1) with box$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:28

Interference search

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8708	702/51.ccls. or 73/40,40.5r,46,49.1. ccls. or 137/312,313,314,458,557, 480,486,460,456,488.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:32
L2	95	(702/51.ccls. or 73/40,40.5r,46,49. 1.ccls. or 137/312,313,314,458,557, 480,486,460,456,488.ccls.) and control$4 with leak$3 with system$1	US-PGPUB	OR	ON	2007/05/03 17:32
L3	4	(702/51.ccls. or 73/40,40.5r,46,49. 1.ccls. or 137/312,313,314,458,557, 480,486,460,456,488.ccls.) and control$4 with leak$3 with system$1 with (processor$1 or microprocessor$1 or CPU)	US-PGPUB	OR	ON	2007/05/03 17:33
L4	7	(702/51.ccls. or 73/40,40.5r,46,49. 1.ccls. or 137/312,313,314,458,557, 480,486,460,456,488.ccls.) and control$4 with leak$3 with system$1 same (processor$1 or microprocessor$1 or CPU)	US-PGPUB	OR	ON	2007/05/03 17:33
L5	19	(702/51.ccls. or 73/40,40.5r,46,49. 1.ccls. or 137/312,313,314,458,557, 480,486,460,456,488.ccls.) and control$4 with leak$3 with system$1 and (processor$1 or microprocessor$1 or CPU) with (code or coding or program$5 or software)	US-PGPUB	OR	ON	2007/05/03 17:33